



MATHEMATICS APPLICATIONS ATAR COURSE

FORMULA SHEET

2022

Copyright

© School Curriculum and Standards Authority, 2016

This document – apart from any third party copyright material contained in it – may be freely copied, or communicated on an intranet, for non-commercial purposes in educational institutions, provided that it is not changed and that the School Curriculum and Standards Authority (the Authority) is acknowledged as the copyright owner, and that the Authority's moral rights are not infringed.

Copying or communication for any other purpose can be done only within the terms of the *Copyright Act 1968* or with prior written permission of the Authority. Copying or communication of any third party copyright material can be done only within the terms of the *Copyright Act 1968* or with permission of the copyright owners.

Any content in this document that has been derived from the Australian Curriculum may be used under the terms of the Creative Commons [Attribution 4.0 International \(CC BY\)](https://creativecommons.org/licenses/by/4.0/) licence.

An *Acknowledgements variation* document is available on the Authority website.

This document is valid for teaching and examining until 31 December 2022.

Statistics

Bivariate data	
Residual value	observed value – predicted value = $y - \hat{y}$
Least-squares line	$\hat{y} = a + bx$ where y is the response variable and x is the explanatory variable or $\hat{y} = a + bt$ where y is the response variable and t is time (the explanatory variable)
Periodic time series	
$\text{Deseasonalised value} = \frac{\text{Actual value}}{\text{Seasonal index}}$	

Growth and decay in sequences

Arithmetic sequence	$T_1 = a, T_n = a + (n - 1)d \quad d = T_{n+1} - T_n$
Geometric sequence	$T_1 = a, T_n = ar^{(n-1)} \quad r = \frac{T_{n+1}}{T_n}$
First-order linear recurrence relation	$T_1 = a, T_{n+1} = bT_n + c \quad \text{for } n \geq 1$

Graphs, networks and decision mathematics

Euler’s formula	$v + f - e = 2$
-----------------	-----------------

Loans, investments and annuities

Simple interest	$I = Prt$
Compound interest	$A = P(1+r)^t$ compounded annually $A = P\left(1 + \frac{r}{n}\right)^{nt}$ compounded n times a year
Effective annual rate of interest	$i_{\text{effective}} = \left(1 + \frac{i}{n}\right)^n - 1$

Note: Any additional formulas identified by the examination panel as necessary will be included in the body of the particular question.